

Enterococcal Surveillance Service

SMiRL (Glasgow)
Level 5, New Lister Building,
Glasgow Royal Infirmary,
10-16 Alexandra Parade,
Glasgow G31 2ER
0141 242 9633

SMiRL code
Booked in by
Checked by
Scan 1
PID

SMiRL code	
Booked in by	
Checked by	
Scan 1	
PID	

SMiRL Lab No:		

PATIENT DETAILS					
CHI Number:	Sex: ☐ Male ☐ Female				
Surname:	Address:				
Forename:					
Date of Birth:	Post Code:				
SENDER'S INFORMATION/CONTACT DETAILS					
Sending Lab:	Sending Lab Address:				
Secondary Location (Hospital/Ward):					
Contact Number:					
SPECIMEN DETAILS					
Date/Time Collected:	Sender's Ref No:				
Isolate body site:					
Please state bacteraemia source where possible (if applicable): e.g. abdominal / endocarditis / line					
Clinical Details:					
Is this isolate part of a possible outbreak/transmission event? YES NO For completion by medical staff. Please provide details including suspected place of acquisition, sample types, hypothesis & how sequencing may change outbreak management, or any other relevant information:					
Hospital Department: □ A&E, □ Care of Elderly, □ Haematology/oncology, □ HDU/ICU, □ ID, □ Medicine, □ Orthopaedic, □ OBS/GYN, □ Paediatrics, □ Paediatric ICU, □ Renal, □ Surgery, □ Unknown □ Other (please state):					
SENDING LAB RESULTS - please provide <u>organism ID</u> , <u>VITEK print out</u> & any <u>relevant antibiotic MICs</u> as per referral criteria. Please note this service is for surveillance purposes and does not replace confirmation of resistance by UKHSA.					
·	otic(s) and MIC(s):				
Referral Criteria - please indicate all which apply					
First bacteraemia isolate of <i>Enterococcus faecium</i> (2 week episode definition)					
Please note, if different antibiotic patterns are identified in a patient, please send an isolate of each with a					
separate request form. The following should be submitted from any body site.					
First vancomycin resistant isolate of Enterococcus faecium					
Enterococcus faecium with daptomycin MIC >4mg/L					
Enterococcus faecalis with a daptomycin MIC >2mg/L					
Enterococcus faecalis with an amp/amoxicillin MIC >4mg/L					
Enterococcus faecalis with a vancomycin MIC >4mg/L					
Enterococcus faecalis/faecium with tigecycline MIC >0.25mg/L					
Enterococcus faecalis/faecium with linezolid MIC >4 mg/L					
Any further relevant information:					